
Universe	Sport
Type	Verticality
Category	Ropes
Subcategory	Dynamic single ropes



VOLTA® 9.2 mm

The VOLTA 9.2 single rope has the light weight necessary for elite users, offering maximum longevity and performance in any conditions, thanks to its Duratec Dry treatment. Certified for all uses: single, half or twin, for multiple uses and maximum versatility according to the terrain.

Short Description Multi-type, ultra-light 9.2 mm diameter rope for classic mountaineering and elite climbing performance





Selling Points





- Ultra-light thin rope for elite climbers:
 - allows optimal functioning in the belay device
 - multi-type for use as a single, half or twin rope
 - for use in rock, mixed, snow or ice environments
- Greater longevity and ease of use in any conditions:
 - Duratec Dry treatment: dry treatment makes the rope more resistant to water, dirt and abrasion; handling, grip and other characteristics are retained longer in cold, wet conditions
 - UltraSonic Finish: the core and the sheath are bonded together at the rope ends by an ultrasonic process called UltraSonic Finish; gives greater durability and avoids frayed ends
 - ClimbReady coil: specific coil makes the rope ready for use; helps the user avoid initial uncoiling mistakes and increases longevity
- More effective belaying:
 - Middle Mark: indicates the middle of the rope to facilitate maneuvers
 - EverFlex treatment: special thermal treatment stabilizes the core strands and improves consistency; offers excellent grip and consistent handling over time



Specification

- Diameter: 9,2mm
 - Rope type: (CE EN 892, UIAA): multi-type - single, half, and twin rope
 - Weight per meter: 55g
 - Percentage of sheath: 42%
 - Number of factor 1,77 falls: 6 (single rope), > 20 (half rope), > 30 (twin rope)
 - Static elongation: 7.5 % (single rope), 7.5 % (half rope), 6 % (twin rope)
 - Dynamic elongation: 33 % (single rope), 30 % (half rope), 26 % (twin rope)
 - Impact force: 8.6 kN (single rope), 6.8 kN (half rope), 10.5 kN (twin rope)
 - Construction: 40 carrier
 - Material(s): nylon
-

Specifications by reference

Reference(s)	R35AO 030	R35AO 050	R35AO 060	R35AO 070
				
Color(s)	orange	orange	orange	orange
Length	30 m	50 m	60 m	70 m
Made in	DE	DE	DE	DE
Guarantee	3 years	3 years	3 years	3 years
Packing	1	1	1	1
Case quantity	4	4	3	2
EAN	3342540099128	3342540096813	3342540096837	3342540096851

Reference(s)	R35AO 080	R35AO 100	R35AN 050	R35AN 060
				
Color(s)	orange	orange	gray	gray
Length	80 m	100 m	50 m	60 m
Made in	DE	DE	DE	DE
Guarantee	3 years	3 years	3 years	3 years
Packing	1	1	1	1
Case quantity	2	2	4	3
EAN	3342540096875	3342540096882	3342540096806	3342540096820

Reference(s)	R35AN 070	R35AN 080
		
Color(s)	gray	gray
Length	70 m	80 m
Made in	DE	DE
Guarantee	3 years	3 years
Packing	1	1
Case quantity	2	2
EAN	3342540096844	3342540096868

Related product(s) KAB
BOLSA